

Creamos el binario con la instalación de weblogic:

Dockerfile

```
FROM oraclelinux
MAINTAINER Jose Legido "jose@legido.com"

ARG ORACLE_USER
ARG ORACLE_PASSWORD

# USUARIS
RUN groupadd -g 1001 weblogic && useradd -u 1001 -g weblogic weblogic
RUN mkdir -p /u01/install && mkdir -p /u01/scripts

# EINES
RUN yum install -y tar

COPY scrics/install_weblogic1036.sh /u01/install/install_weblogic1036.sh
COPY scrics/template1036.jar /u01/install/template1036.jar
RUN chown -R weblogic. /u01
RUN chmod +x /u01/install/install_weblogic1036.sh

USER weblogic

ENV USER_MEM_ARGS="-Djava.security.egd=file:/dev/.urandom"

RUN cd /u01/install && /u01/install/install_weblogic1036.sh $ORACLE_USER
$ORACLE_PASSWORD

RUN /bin/bash
```

Creamos una imagen llamada local/weblogic1036bin que será la base para nuestras instalaciones

```
docker build --build-arg ORACLE_USER=<usuario oracle> --build-arg
ORACLE_PASSWORD=<pass oracle> -t local/weblogic1036bin .
```

Abrimos el template /u01/middleware1036/wlserver_10.3/common/templates/domains/wls.jar para modificarlo a nuestro gusto

```
source /u01/middleware1036/wlserver_10.3/server/bin/setWLSEnv.sh
```

```
java weblogic.WLST
```

```
startServer(adminServerName='AdminServer',domainName='mydomain',url='t3://localhost:7001',username='weblogic',password='weblogic01',domainDir='/u01/domains/mydomain',jvmArgs=' -Xms256m -Xmx512m -XX:CompileThreshold=8000 -XX:PermSize=128m -XX:MaxPermSize=256m')
```

```
createDomain("/u01/middleware1036/wlserver_10.3/common/templates/domains/wls.jar","/u01/domains/probando","weblogic","dadada01")
```

```
createDomain("/u01/nou.jar","/u01/domains/prueba2","weblogic","dadada01")
```

```
readTemplate('/u01/wls.jar')
```

```
create("managed01",'Server')
```

```
/u01/middleware1036/wlserver_10.3/common/templates/domains/wls.jar
```

```
startServer(adminServerName='AdminServer',domainName='prueba2',url='t3:localhost:7001',username='weblogic',password='dadada01',domainDir='/u01/domains/prueba2',jvmArgs='-Xms256m -Xmx512m -XX:CompileThreshold=8000 -XX:PermSize=128m -XX:MaxPermSize=256m')
```

From:

<http://wiki.legido.com/> - **Legido Wiki**

Permanent link:

<http://wiki.legido.com/doku.php?id=informatica:linux:docker:weblogic>



Last update: **2016/12/27 16:36**