

# Crear Màquina

Crear dues interfícies de xarxa:

```
bridged mode vmbr0  
bridged mode vmbr1
```

Configurar xarxa:

```
auto eth0  
iface eth0 inet static  
    address 192.168.1.101  
    netmask 255.255.255.0  
    gateway 192.168.1.1  
  
auto eth1  
iface eth1 inet static  
    address 10.139.67.101  
    netmask 255.255.255.224  
    up route add -net 10.0.0.0 netmask 255.0.0.0 gw 10.139.67.97
```

## Arrancar màquina

### Listar las màquina

```
# vzlist -a
```

CTID	NPROC	STATUS	IP_ADDR	HOSTNAME
100	-	stopped	-	
porta.escorxador.matarosensefils.net				
101	43	running	-	weblescpc.matarosensefils.net
102	15	running	-	mldlescpc.matarosensefils.net
103	-	stopped	-	vpn1.escl.matarosensefils.net
104	-	stopped	-	
ldap1.escorxador.matarosensefils.net				

## Arrancar una màquina

```
# vzctl start 103
```

```
Starting container ...  
Container is mounted  
Setting CPU units: 1000
```

```
Setting CPUs: 1
Setting devices
Configure veth devices: veth103.0 veth103.1
Adding interface veth103.0 to bridge vmbr0 on CT0 for CT103
Adding interface veth103.1 to bridge vmbr1 on CT0 for CT103
Container start in progress...
```

Conectarse a la máquina

```
# vzctl enter 103
```

```
entered into CT 103
```

**Ficheros de configuración:** /etc/vz/conf

## Montar recurso

Si tenemos un recurso montado en el host, por ejemplo **/mnt/sdc/datos/mlonkey** y lo queremos montar en **/mnt/mlonkey/** de la máquina 103

/etc/vz/conf/103.mount

```
#!/bin/bash
if [ ! -e /var/lib/vz/root/103/mnt/mlonkey ]; then mkdir -p
/var/lib/vz/root/103/mnt/mlonkey; fi
mount -n -t simfs /mnt/mlonkey/ /var/lib/vz/root/103/mnt/mlonkey/ -o
/mnt/sdc/datos/mlonkey
```

From:

<http://wiki.legido.com/> - **Legido Wiki**

Permanent link:

<http://wiki.legido.com/doku.php?id=informatica:proxmox:escorxador>



Last update: **2015/04/13 20:19**